

DEAR ARTIST!

Welcome to Cultural Center Stoa in Helsinki, Finland.

Here you will find general information and technical specification for Music Hall.

We are looking forward in seeing you here in Stoa! Don't hesitate to contact us if you have any questions.

GENERAL INFORMATION

SEATING CAPACITY

74 seats in telescopic retractable seating system, 12 seats on a row

LOAD-IN

Backside of the "Theatre Hall" stage (approx. 25 meters away from Music Hall)

Loading Platform: 3.5 wide x 2.25m deep x 1.07m high

Lift to Loading Platform: 2.25m wide x 1.5m deep

Loading Door: 3.1m wide x 3.9m high

ENTRANCE/PARKING (ARTIST/CREW)

Upon arrival, please contact the Janitor Office (tel. +358 40 160 3755).

There is a parking lot next to Stoa (see the driving instructions), ask Janitor for the parking permit upon arrival.



WI-FI

Free Wireless internet. Connect to "Helsinki City Open WLAN".

DRESSING ROOMS

1 room 2,7m x 1,25m

1 room 4,5m x 2,5m

1 room 4,5m x 2m

SMOKING

Smoking prohibited inside the house. Smoking area outside.

SERVICES

Stoa is located in the area of Itäkeskus, which is the most significant commercial center in East-Helsinki. You can find all the main services, shops and restaurants right next to Stoa.

CONTACT

In arrival: Janitor Office (tel. +358 40 160 3755)

Production: Antti Koukonen, production coordinator, antti.koukonen@hel.fi

(tel. +358 40 334 1088)



DRIVING INSTRUCTIONS



Address for GPS: Turunlinnantie 1, Helsinki Finland.

Metro and bus station are located in Shopping Center Itis, 300m away from Stoa.



STAGE

Free height 4.9m

Stage without audience: 15 m (length) x 12 m (width)

Stage with audience: 8.2 m (depth) x 12m (width)

White walls

Black curtains around the stage

Varnished wooden floor

Dance floor vinyl (black/white)

AUDIO

FOH: L-acoustics 108P 2 pcs

SB15P subwoofers 2 pcs

Genelec 1029A 2 pcs

Console: Digico SD11i

2 x Meyer Sound UPA-1P & UM-100p Stage monitor

2 pcs Sennheiser EW 500 G3 series wireless receivers

2 pcs Sennheiser e965 handheld wireless microphones

DPA headsets

Variety of microphones

Helsinki

LIGHT

GrandMA2 on PC + CommandWing + Touchscreen

60 dmx-controllable dimmer lines à 2 kW

10 x 750 w ETC Source4 36 deg. profile

2 x 750 w ETC Source4 25-50 deg. zoom profile

10 x 1200 W Selecon Rama PC

6 x 1000 W ADB fresnell

4 x 2000 W Phida PH2000 L fresnell

6 x 1000 W Strand Polaris fresnell

8 x 1000 W Thomas PARcan (silver)

MOVING LIGHT

6 x Robe LED 600+ (to be requested 6 weeks prior to the event)

VIDEO

Epson EB-2255U Projector

Motorized projection screen